



Thin Client Compatibility Guide For VMware Virtual Desktop Manager (VDM)

Last Updated: July 25, 2008

What's New

Changes since the last edition of this guide include:

- Added support for Praim ino-800, WT-7500, XP-6700, XT7-800. See [“Praim by CompuMaster,”](#) on page 3.

Introduction

VMware Virtual Desktop Manager (VDM) is tested for compatibility with major thin client device manufacturers. VMware will support a variety of thin client devices with standard options as they come to market.

Client Type definitions:

- **VMware** — This client type is a device which utilizes the VMware© VDM Client software and includes functionality as described in the *Installation and Administration Guide for VMware Virtual Desktop Manager 2.0*: http://www.vmware.com/pdf/vdm20_manual.pdf
- **Vendor** — This client type is a device developed by specific vendors. This client meets the minimum requirements VMware has set for certification, however specific features of these clients may vary between different vendors and devices.

This compatibility guide includes information about supported thin client devices in the following sections:

- [“Supported Thin Client Devices for Virtual Desktop Manager v2.0:”](#) on page 2
- [“Supported Thin Client Devices for Virtual Desktop Manager v2.1:”](#) on page 3

Supported Thin Client Devices for Virtual Desktop Manager v2.0:

The following thin client devices are listed and supported for Virtual Desktop Manager v2.0:

- “Hewlett Packard,” on page 2
- “Wyse,” on page 2

Table 1. Hewlett Packard

Model	Client Type	OS Version
t5730	VMware	Windows XP SP2
t5735 ¹	Vendor	Debian Linux 4.0
6720t	VMware	Windows XP SP2
¹ Certified for VDM Web Access only.		

Table 2. Wyse

Model	Client Type	OS Version
S10 VDI Edition	Vendor	6.0.1_08
V10L	Vendor	6.0.1_08
V90	VMware	Windows XP SP2
V90L	VMware	Windows XP SP2
For information about configuring Wyse thin client devices, see the VMware tech note at the following URL: http://www.vmware.com/info?id=347		

Supported Thin Client Devices for Virtual Desktop Manager v2.1:

The following thin client devices are listed and supported for Virtual Desktop Manager v2.1:

- [“Hewlett Packard,”](#) on page 2
- [“Praim by CompuMaster,”](#) on page 3
- [“Wyse,”](#) on page 2

Table 3. Hewlett Packard

Model	Client Type	OS Version
t5730	VMware	Windows XPe SP2

Table 4. Praim by CompuMaster

Model	Client Type	OS Version
ino-800	Vendor	Linux 7:00:27
WT-7500	Vendor	Windows CE 5.0
XP-6700	VMware	Windows XPe SP2
XT7-800	Vendor	Linux 7:00:27

Table 5. Wyse

Model	Client Type	OS Version
G90	VMware	Windows XPe SP2
S90	VMware	Windows XPe SP2
V90	VMware	Windows XPe SP2
V90L	VMware	Windows XPe SP2
V90LE	VMware	Windows XPe SP2
X90	VMware	Windows XPe SP2
X90e	VMware	Windows XPe SP2
X90L	VMware	Windows XPe SP2

Table 5. Wyse (Continued)

Model	Client Type	OS Version
X90Le	VMware	Windows XP SP2
For information about configuring Wyse thin client devices, see the VMware tech note at the following URL: http://www.vmware.com/info?id=347		

Disclaimer

THIS CONTENT IS PROVIDED "AS-IS," AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, VMWARE DISCLAIMS ALL OTHER REPRESENTATIONS AND WARRANTIES, EXPRESS OR IMPLIED, REGARDING THIS CONTENT, INCLUDING THEIR FITNESS FOR A PARTICULAR PURPOSE, THEIR MERCHANTABILITY, OR THEIR NONINFRINGEMENT. VMWARE SHALL NOT BE LIABLE FOR ANY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF THIS CONTENT, INCLUDING DIRECT, INDIRECT, CONSEQUENTIAL DAMAGES, LOSS OF BUSINESS PROFITS OR SPECIAL DAMAGES, EVEN IF VMWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

If you have comments about this documentation, submit your feedback to: docfeedback@vmware.com

VMware, Inc. 3401 Hillview Avenue Palo Alto, CA 94304 www.vmware.com

© 2008 VMware, Inc. All rights reserved. Protected by one or more of U.S. Patent Nos. 6,397,242, 6,496,847, 6,704,925, 6,711,672, 6,725,289, 6,735,601, 6,785,886, 6,789,156, 6,795,966, 6,880,022, 6,944,699, 6,961,806, 6,961,941, 7,069,413, 7,082,598, 7,089,377, 7,111,086, 7,111,145, 7,117,481, 7,149, 843, 7,155,558, 7,222,221, 7,260,815, 7,260,820, 7,269,683, 7,275,136, 7,277,998, 7,277,999, 7,278,030, 7,281,102, 7,290,253, and 7,356,679; patents pending. VMware, the VMware "boxes" logo and design, Virtual SMP and VMotion are registered trademarks or trademarks of VMware, Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

Revision: 20080725